

**AMENDMENTS TO THE CLAIMS:**

Kindly amend claims 3, 4, 7, 8, 11 and 12, as shown below.

This listing of claims will replace all prior versions and listings of claims in the Application:

**Claim 1 (previously presented):** A method for manufacturing a liquid crystal display panel, the method comprising:

attaching a first substrate to a second substrate with a seal member and an auxiliary member to form said panel, said seal member forming an internal space and having an injection inlet for liquid crystal injection, said auxiliary member being arrayed around said seal member, wherein said seal member is formed with an air outlet forming member connected to said injection inlet, said air outlet forming member being extended toward a peripheral end of the panel, and said air outlet forming member is formed therein with an air outlet auxiliary member for forming an air outlet;

forming a cut line between said seal member and said auxiliary member;

cutting said panel along said cut line to traverse said air outlet forming member; and

injecting liquid crystal through said injection inlet.

**Claim 2 (original):** The method as defined in claim 1, wherein said air outlet auxiliary member is positioned between the cut line and the peripheral end of the panel in order not to be cut when the panel is cut off.

**Claim 3 (currently amended):** The method as defined in claim 1, wherein said air outlet forming member is aligned parallel to said air outlet auxiliary member in order to maintain constant a gap therebetween.

HAYES SOLOWAY P.C.  
130 W. CUSHING STREET  
TUCSON, AZ 85701  
TEL. 520.882.7623  
FAX: 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567

**Claim 4 (currently amended):** The method as defined in claim 1, wherein said air outlet auxiliary member and said air outlet forming member extend toward ~~[[the]]~~ a peripheral end of said panel.

**Claim 5 (original):** The method as defined in claim 1, wherein said auxiliary member, said air outlet auxiliary member and said air outlet forming member formed at an external domain of the cut line, are all continuously formed as dashed lines.

**Claim 6 (original):** The method as defined in claim 1, wherein said seal member, said auxiliary member, said air outlet auxiliary member and said air outlet forming member are all simultaneously formed and made of the same material.

**Claim 7 (currently amended):** The method as defined in claim 3, wherein ~~[[a]]~~ the gap between said air outlet auxiliary member and said air outlet forming member is 2 mm or more but not more than 7 mm.

**Claim 8 (currently amended):** The method as defined in claim 3, wherein ~~[[a]]~~ the gap between said peripheral end of said panel and the distal ends of both said air outlet auxiliary member and said air outlet forming member is not more than 3 mm.

**Claim 9 (original):** The method as defined in claim 1, wherein there contains a plurality of said injection inlets and said air outlets.

**Claim 10 (previously presented):** A liquid crystal display panel manufactured by the method comprising:

attaching a first substrate to a second substrate with a seal member and an auxiliary member to form said panel, said seal member forming an internal space and having an injection inlet for liquid crystal injection, said auxiliary member being arrayed around said seal member,

HAYES SOLOWAY P.C.  
130 W. CUSHING STREET  
TUCSON, AZ 85701  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567

Serial No. 10/629,185  
Docket No. NEC 219824  
Amendment B Under Rule 116

wherein said seal member is formed with an air outlet forming member connected to said injection inlet, said air outlet forming member being extended toward a peripheral end of the panel, and said air outlet forming member is formed therein with an air outlet auxiliary member for forming an air outlet;

forming a cut line between said seal member and said auxiliary member;

cutting said panel along said cut line to traverse said air outlet forming member; and

injecting liquid crystal through said injection inlet.

**Claim 11 (currently amended):** A method for manufacturing a liquid crystal display panel, the method comprising:

preparing a first substrate and a second substrate;

forming a seal member, an auxiliary member, and air outlet forming members on one of said substrates, wherein said seal member forms an internal space and has an injection inlet for liquid crystal injection, said auxiliary member is arrayed around said seal member, said air outlet forming members are formed with said auxiliary member and said air outlet forming members are connected to said injection inlet and extended toward a peripheral end of said panel;

attaching said first substrate to said second substrate with said seal member and said auxiliary member to form said panel;

positioning a cut line between said seal member and said auxiliary member;

cutting said panel along said cut line; and

injecting liquid crystal through said injection inlet.

HAYES SOLOWAY P.C.  
130 W. CUSHING STREET  
TUCSON, AZ 85701  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567

Serial No. 10/629,185  
Docket No. NEC 219824  
Amendment B Under Rule 116

**Claim 12 (currently amended):** The method as defined in claim 11, wherein [[an]] air outlet auxiliary members are further formed on one of said substrates within said air outlet forming members.

HAYES SOLOWAY P.C.  
130 W. CUSHING STREET  
TUCSON, AZ 85701  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567